NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

(MASA-CP-143505) MISSION DESIGN DATA FOR N75-32140 VENUS, MASS, AND JUFITES THROUGH 1990, VOLUME 1 (Jet propulsion Lab.) 291 p CSCL 22A Unclas G3/12 35315

Technical Memorandum 33-736

Volume 1

Mission Design Data for Venus, Mars, and Jupiter Through 1990

Andrey B. Sergeyevsky

JET PROPULSION LABORATORY

CALIFORNIA INSTITUTE OF TECHNOLOGY

PASADENA, CALIFORNIA

September 1, 1975

REPRODUCED BY
NATIONAL TECHNICAL
INFORMATION SERVICE
U.S. DEPARTMENT OF COMMERCE
SPRINGFIELD, VA. 22161

Prepared Under Contract No. NAS 7-100 National Aeronautics and Space Administration

PREFACE

The work described in this report was performed by the Mission Analysis Division of the Jet Propulsion Laboratory.

This document is divided into three volumes. Volume I comprises the mission design data for Venus, Volume II the data for Mars, and Volume III the data for Jupiter.

:				
			× .	
i				
·				
	1			

TABLE OF CONTENTS

A.	INTRODUCTION							
B.	DESCRIPTION OF TRAJECTORY DATA							
c.	DESCRIPTION OF PLANETARY POSITIONAL DATA							
REF	ERENCES							
LIST OF FIGURES								
1.	Definition of B-Plane							
2.	Definition of Cone and Clock Angle							
ETC Missi	ours of C ₃ and Flight Times, VHP, DLA, ZAL, INC, ZAP, LVI, SAE, ETE, THA, SG1, SG2, and SG3 for Earth to Venus ons Launched in 1975, 1976/7, 1978, 1980, 1981-82, 1, 1984-85, 1986, 1988, 1989-90 2-1 through 2-140							
Veni	is Positional Data for the Vears 1975 to 1995 2.141 through 2.286							

PRECEDING PAGE BLANK NOT FILMED

ABSTRACT

The purpose of this document is to provide a handbook, containing working data to be used in the selection and trajectory design of missions to Venus, Mars and Jupiter during the 1975-1990 time period.

MISSION DESIGN DATA FOR VENUS, MARS AND JUPITER THROUGH 1990

Andrey B. Sergeyevsky

A. INTRODUCTION

This document presents mission design data for direct transfer trajectories from Earth to three planets — Venus, Mars and Jupiter, extending previously published information (see Refs. 1, 2, 3, 4 and 5) through the 1990 departure opportunity.

The primary purpose of this effort is to provide the mission analyst with graphical information, sufficient for preliminary mission design and evaluation. The data follows closely the format of Reference 4 and reflects methods of Reference 2. A specially modified version of the Space Research Conic Program (SPARC) (see Ref. 6) was used to generate the trajectory information presented. The data were automatically contour-plotted on the SC4020 plotter using the General Plot Program (GPP) (see Ref. 7), then hand-retouched and labeled. A special program (VIEWPE) was constructed to provide planetary positional data in graphical form, plotted on the SC4020, and presented in original format.

The data are arranged in three sections by arrival planet, in natural sequence. Each section consists of two parts—the trajectory characteristics for all available opportunities to the particular planet, in chronological order, followed by that planet's positional data for every calendar year, from 1975 to 1995.

The persevering and encouraging insistence of management, especially that of Mr. Willard E. Bollman to carry this effort through to completion, as well as the graphic and editorial support of Mr. Richard W. Rackus are gratefully acknowledged.

B. DESCRIPTION OF TRAJECTORY CHARACTERISTICS DATA

1. General

The data represent trajectory performance information plotted in the departure date/arrival date space, thus defining all possible transfer trajectories between the two bodies, within the time-span considered. Fourteen individual parameters are contour-plotted on the departure energy (C₃) background contour chart, for each opportunity. The following opportunities are presented:

To Venus: 1975, 1976/7, 1978, 1980, 1981, 1983,

1984/5, 1986, 1988, 1989/90.

To Mars: 1979, 1981/2, 1983/4, 1985/6, 1988,

1990.

To Jupiter: 1977, 1978, 1979, 1980/81, 1981/82,

1983, 1984, 1985, 1986, 1987, 1988,

1989, 1990.

2. Definition of Terms

The following parameters are displayed on the contour plots:

C₃ Earth departure energy (km^2/sec^2) ; same as the square of departure hyperbolic excess velocity $V_{\infty}^2 = C_3 = V_1^2 - 2GM/R_I$, where

V_I = conic injection velocity (km/sec)

GM = gravitational constant times mass of the attracting body, from Reference 8:

> $GM_{VENUS} = 0.32486010E6$ (km^3/sec^2)

 $GM_{EARTH} = 0.39860115E6$

 $GM_{MARS} = 0.42828444E5$

 $GM_{JUPITER} = 0.12670772E9$

R_I = R_S + h_I, Injection radius (km), sum of surface radius R_S and injection altitude h_I, where (see Ref. 8):

$$R_{S_{VENUS}} = 6052 \text{ (km)}$$
 $R_{S_{EARTH}} = 6378.16$

$$R_{S_{MARS}} = 3393.4$$

 $R_{S_{JUPITER}} = 71372$

- TF Time of flight (Days)
- CD Earth to planet communication distance at arrival (km)
- VHP Arrival hyperbolic excess velocity

$$V_{\infty} = \sqrt{V^2 - \frac{2GM}{R}}$$
, (km/sec),

where

V = Heliocentric conic arrival velocity at heliocentric radius R (km).

Arrival Planet Orbit insertion velocity increment ΔV , at periapse, may be computed from V_{∞} :

$$\Delta V = \sqrt{V_{\infty}^2 + \frac{GM}{R_p}} - \sqrt{\frac{2GM R_A}{R_p(R_A + R_p)}}$$

where R_p and R_A are planetocentric periapse and apoapse radii (km), respectively. Similarly, if specific capture orbit period P(sec) and periapse radius R_p are desired:

$$\Delta V = \sqrt{V^2 + \frac{2GM}{R_p}} - \sqrt{\frac{2GM}{R_p}} - \sqrt[3]{\left(\frac{2GM\pi}{P}\right)^2}$$

- B-PLANE A plane normal to the incoming V_{∞} vector and passing through the center of planet.
- T-AXIS Axis in B-plane, parallel to ecliptic (Earth mean orbital) plane (see Figure 1).

- DLA Geocentric declination (vs. mean Earth equator of launch date) of the departure V_{∞} vector. May impose launch constraints. (deg)
- ZAL Angle between departure V_{∞} vector and Sun-Earth vector. Equivalent to Earth-probe-Sun angle, several days out. (deg)
- INC Heliocentric inclination of transfer trajectory with mean ecliptic (Earth orbital) plane of launch date. (deg)
- ZAP Angle between arrival V_{co} vector and the arrival planet-to-Sun vector. Equivalent to planet-probe-Sun angle at far encounter; for subsolar impact would be equal to 180°. (deg).
- ETS Angle in arrival B-plane, measured from T-axis, clockwise, to projection of Sunto-planet vector. Equivalent to solar occultation region center-line. (deg)
- LVI Planetocentric latitude of vertical impact vs arrival planet equator. Note that Venusian north is below ecliptic, while Mars' and Jupiter's is above. Equivalent to declination of the incoming asymptote (i.e., the negative of incoming V_{∞} vector) in planetary equator system.
- ZAE Angle between arrival V_{∞} vector and the planet-to-Earth vector. Equivalent to planet-probe-Earth angle at far encounter. (Deg.)
- ETE Angle in arrival B-plane, measured from T-axis, clockwise, to projection of Earth-to-planet vector. Equivalent to Earth occultation region centerline. (deg)
- THA Angle in arrival B-plane, from T-axis, clockwise, to major axis of error dispersion ellipse (0 180 deg).
- SG1 Semi-major axis magnitude of B-plane dispersion ellipse, resulting from a spherically distributed V_∞ velocity vector error of 0.1 m/sec on departure asymptote (km).
- SG2 Semi-minor axis of above dispersion eclipse (km).

SG3 Arrival time dispersion, normal to B-plane, for above error model (sec).

YR/M/D Year, Month, Date.

C. DESCRIPTION OF PLANETARY POSITIONAL DATA

1. General

P

The data represent planetary geometry-related information plotted versus calendar arrival date at the target planet. Each set of seven plots represents the annual time history of 19 parameters, and may be used for flyby and orbiter missions.

Target planet, equivalent to probe ap-

2. Description of Curve Labels

-	proaching or in orbit about target planet.
E	Earth
S	Sun
CA	Cone Angle, i.e., Sun-probe-object (Earth or Canopus, etc.) angle. (See Figure 2.)
KA	Clock Angle, i.e., angle between projections of the Probe-Canopus and probe-object vectors into the plane normal to the sun-line (for which CA = 90°). (See Figure 2.)
RISEXX	Rise time (GMT) of planet through 6° horizon mask at DSN Station No. XX. (e.g., XX = 14 = GOLDSTONE, 43 = CANBERRA, 63 = MADRID.)
SETXX	Set time (GMT) of planet through 6° horizon mask at DSN Station No. XX.


3. Description of Plots

Plot	Y-axis label	
a)	DECLIN	Geocentric Earth equatorial declination of planet (P), planetocentric planetary equatorial declination of Earth (E) and Sun (S). Note that Venusian north is below ecliptic.
b)	EC.LON	Heliocentric ecliptic longitude of planet.
c)	CA,KA	Cone (ECA) and Clock (EKA) angle of Earth and cone angle of Canopus (CCA) as seen from a Sun-Canopus oriented spacecraft near target planet, P (see Figure 2).
d)	DISTANCE	Sun-Planet distance (SP) and Earth-Planet communication distance (EP) in mill. km.
e)	SUN-EARTH- PLANET	Sun-Earth-Planet angle (SEP), indicating times of superior (SEP $\simeq 0$) and inferior (SEP $\simeq 180^{\circ}$) conjunction; SEP $> 5^{\circ}$ is a communications constraint.
f)	STATION	Rise and Set times (GMT) of

RISE/SET

planet at 3 DSN Stations on

Earth, 6° mask.



 $\begin{array}{ll} \bar{B} = \text{TARGET PARAMETER} \\ 0 = \text{ORIENTATION OF } \bar{B} \\ \bar{S} = \text{INCOMING ASYMPTOTE} \\ \bar{T} = \text{PARALLEL TO ECLIPTIC PLANE AND 1 TO } \bar{S} \\ \bar{R} = \bar{S} \times \bar{T} \end{array}$





Figure 2. Definition of Cone and Clock Angle

REFERENCES


- Clarke, V. C., Jr., Bollman, W. E., Roth, R. T., Scholey, W. J., "Design Parameters for Ballistic Interplanetary Trajectories Part I. One-way Transfers to Mars and Venus," JPL TR 32-77, January 1963.
- Clarke, V. C., Jr., Bollman, W. E., Feritis, P. H., Roth, R. Y., "Design Parameters for Ballistic Interplanetary Trajectories Part II. One-way Transfers to Mercury and Jupiter," JPL TR 32-77, January 1966.
- 3. Richards, R. J., Roth, R. Y., "Earth-Mars Trajectories," JPL TM 33-100, June 1965.
- 4. Kohlhase, C. E., Bollman, W. E., "Trajectory Selection Considerations for Voyager Missions to Mars During the 1971-1977 Time Period," JPL TM 33-210, September 1965.
 - *JPL Internal Document

- Wallace, R. A., "Trajectory Considerations for a Mission to Jupiter in 1972," JPL TM 33-375, March 1968.
- 6. Roth, R., Zorian, M. D., "Space Research Conic Program, Phase III," JPL 900-130, Rev. A, May 1969.*
- 7. "General Plot Program," JPL 900-341, Anon., May 1970.*
- 8. Melbourne, W. G., Mulholland, T. D., Sjogren, W. L., Sturms, F. M., Jr., "Constants and Related Information for Astrodynamic Calculations, 1968," JPL TR 32-1306, July 1968.


·				
;				
	ı			




2-1




2-2




2-3




2-4







2-6




2-7




2-8




2-9




2-10




2-11




2-12




2-13







2 - 15




2-16







2-18

١








2-20





2-21















2-26







2-28







2-30













2-34













2-38






2-40






CONTOURS OF C3 AND FLIGHT TIMES EARTH TO VENUS 1980




ARRIVAL DATE CALENDAR DATE AT NOON GMT


CONTOURS OF C3 AND VHP EARTH TO VENUS 1980




ARRIVAL DATE




ARRIVAL DATE




2-46



CONTOURS OF C₃ AND ZAP EARTH TO VENUS 1980




ARRIVAL DATE




ARRIVAL DATE
CALENDAR DATE AT NOON GMT

CONTOURS OF C_3 AND LVI EARTH TO VENUS 1980



ARRIVAL DATE
CALENDAR DATE AT NOON GMT


CONTOURS OF C₃ AND ZAE EARTH TO VENUS 1980




ARRIVAL DATE
CALENDAR DATE AT NOON GMT


1

CONTOURS OF C₃ AND ETE EARTH TO VENUS 1980




ARRIVAL DATE
CALENDAR DATE AT NOON GMT







2-54




ARRIVAL DATE CALENDAR DATE AT NOON GM





ARRIVAL DATE






2-58







2-60





2-61




2-62












CALENDAR DATE AT NOON GMT ARRIVAL DATE






CONTOURS OF C_3 AND SGI EARTH TO VENUS 1981-82

2-68



2-69




2-70


CALENDAR DATE AT NOON GMT

DEPARTURE DATE

CONTOURS OF C_3 AND FLIGHT TIMES EARTH TO VENUS 1983




ARRIVAL DATE
CALENDAR DATE AT NOON GMT





DEPARTURE DATE

CONTOURS OF C₃ AND DLA EARTH TO VENUS 1983





1 G Y






2-75





2-77




2-78


CALENDAR DATE AT NOON GMT


DEPARTURE DATE

CONTOURS OF C₃ AND ZAE EARTH TO VENUS 1983



ARRIVAL DATE
CALENDAR DATE AT NOON GMT







2-81

DEPARTURE DATE


CONTOURS OF C₃ AND SG1 EARTH TO VENUS 1983




ARRIVAL DATE CALENDAR DATE AT NOON GMT





ARRIVAL DATE







2-85








2-87































CALENDAR DATE AT NOON GMT

DEPARTURE DATE

CONTOURS OF C₃ AND FLIGHT TIMES EARTH TO VENUS 1986




ARRIVAL DATE CALENDAR DATE AT NOON GMT




2-100


DEPARTURE DATE

CONTOURS OF C3 AND DLA EARTH TO VENUS 1986





ARRIVAL DATE







2-103






2-105








2-107




2-108








2-111




2-112





ARRIVAL DATE

CONTOURS OF C₃ AND VHP EARTH TO VENUS 1988





VERIANT DATE






ARRIVAL DATE







2-118




ARRIVAL DATE




2-120




2-121







2-123



2-124




2-125



2-126

DEPARTURE DATE


CONTOURS OF C_3 AND FLIGHT TIMES EARTH TO VENUS 1989




ARRIVAL DATE
CALENDAR DATE AT NOON GMT


DEPARTURE DATE

CONTOURS OF C₃ AND VHP EARTH TO VENUS 1989-90




ARRIVAL DATE







2-130



2-131







ITAG IAVISSA


DEPARTURE DATE

CONTOURS OF C₃ AND LVI EARTH TO VENUS 1989-90




ARRIVAL DATE







2-136




2-137



2-138





ARRIVAL DATE
CALENDAR DATE AT NOON GMT




2-140






































1976
















1976
























1977









1977































1978














VENUS























1979
































1980












VENUS















1981

















1982

















1982




























































































1985






















1986







1986
















1987



















1987



























































































1990


























































1992







1992


























1993
































































1. Report No. 33-736, Vol. I	2. Government Accession No	3. Recipient's Catalog No.
4. Title and Subtitle		5. Report Date September 1, 1975
MISSION DESIGN DATA FOR VENUS, MARS, AND JUPITER THROUGH 1990		6. Performing Organization Code
7. Author(s) Andrey B. Sergeyevsky		8. Performing Organization Report No
9. Performing Organization Name an		10. Work Unit No.
JET PROPULSION LABO California Institut 4800 Oak Grove Driv	e of Technology	11. Contract or Grant No. NAS 7-100
Pasadena, California 91103		13. Type of Report and Period Covered
12. Sponsoring Agency Name and Ado	dress	Technical Memorandum
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION Washington, D.C. 20546		14. Sponsoring Agency Code
15. Supplementary Notes		
16. Abstract		
Cabs. The purpose of this does	MAN IS TO Provide a NOT	dbook, containing working
		design of missions to Venus,
Mars and Jupiter during the Cata Carthor	one 19/)=1990 orme perio	with the same of t
17. Key Words (Selected by Author(s)	,	ution Statement
Astronautics (General)	U	Inclassified Unlimited
Astrodynamics Space Transportation		
Lunar and Planetary Explo	oration	
(Advanced)	20 5	is page) 21. No. of Pages 22. Price
19. Security Classif. (of this report) Unclassified	20. Security Classif. (of the Unclassified	is page) 21. No. of Pages 22. Price 2-286
Ougrassified	OHC LOSSITIED	2-200

HOW TO FILL OUT THE TECHNICAL REPORT STANDARD TITLE PAGE

Make items 1, 4, 5, 9, 12, and 13 agree with the corresponding information on the report cover. Use all capital letters for title (item 4). Leave items 2, 6, and 14 blank. Complete the remaining items as follows:

- 3. Recipient's Catalog No. Reserved for use by report recipients.
- 7. Author(s). Include corresponding information from the report cover. In addition, list the affiliation of an author if it differs from that of the performing organization.
- 8. Performing Organization Report No. Insert if performing organization wishes to assign this number.
- 10. Work Unit No. Use the agency-wide code (for example, 923-50-10-06-72), which uniquely identifies the work unit under which the work was authorized. Non-NASA performing organizations will leave this blank.
- 11. Insert the number of the contract or grant under which the report was prepared.
- 15. Supplementary Notes. Enter information not included elsewhere but useful, such as: Prepared in cooperation with... Translation of (or by)... Presented at conference of... To be published in...
- 16. Abstract. Include a brief (not to exceed 200 words) factual summary of the most significant information contained in the report. If possible, the abstract of a classified report should be unclassified. If the report contains a significant bibliography or literature survey, mention it here.
- 17. Key Words. Insert terms or short phrases selected by the author that identify the principal subjects covered in the report, and that are sufficiently specific and precise to be used for cataloging.
- 18. Distribution Statement. Enter one of the authorized statements used to denote releasability to the public or a limitation on dissemination for reasons other than security of defense information. Authorized statements are "Unclassified—Unlimited," "U.S. Government and Contractors only," "U.S. Government Agencies only," and "NASA and NASA Contractors only."
- 19. Security Classification (of report). NOTE: Reports carrying a security classification will require additional markings giving security and downgrading information as specified by the Security Requirements Checklist and the DoD Industrial Security Manual (DoD 5220, 22-M).
- 20. Security Classification (of this page). NOTE: Because this page may be used in preparing announcements, bibliographies, and data banks, it should be unclassified if possible. If a classification is required, indicate separately the classification of the title and the abstract by following these items with either "(U)" for unclassified, or "(C)" or "(S)" as applicable for classified items.
- 21. No. of Pages. Insert the number of pages.
- 22. Price. Insert the price set by the Clearinghouse for Federal Scientific and Technical Information or the Government Printing Office, if known.